## DaNard Marine Products Dinghy Wheels

## **Selecting Your Model**

DaNard Marine currently offers two models of Dinghy Wheels. DW-1 and DW-3. The primary difference are the mounting base and arm dimensions.



The DW-1 is designed for use on a straight/flat transom inflatable or runabout. (meaning there is  $\bf{no}$  lip on the top or bottom edge of the transom). This model is ideal for smaller inflatables and runabouts up to 400 lbs. The DW-1 base dimensions measure 11 ½" L x 2 5/8" W x 1" H. The DW-1 arm dimensions measure 20" L x 1" W x ¾" H. When installed, this base provides an 1/8" offset from the transom for the arm/wheel assembly to operate. \* See installation instructions for more detail.



The DW-3 is designed for use on "RIB" (Rigid Inflatable Boat) or runabout that has an upper or lower lip on the transom.

This model is ideal for larger/heavier inflatables and runabouts up to 700 lbs.

The DW-3 base dimensions measure 11  $\frac{1}{2}$ " L x 2  $\frac{1}{2}$ " W x 1  $\frac{9}{16}$ " H.

The DW-3 arm dimensions measure 20" L x 1" W x 1" H.

When installed, this base provides a 5/8" offset from the transom for the arm/wheel assembly to operate. \*See installation instructions for more detail.



Please note the DW-3 offers several hole patterns for mounting as many RIB's have false floors and or contours. We also include heavy duty Stainless pad eyes for a lifting sling and or tie-offs. The pad eyes also act as a backing plate for the base.